

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6173316").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 16:00
L2	201245	pct	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 16:00
L3	1	pct/IB00/01087	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 16:00
L4	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L5	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L6	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L7	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L8	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L9	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L10	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L11	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L12	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L13	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L14	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L15	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L16	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L17	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L18	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L19	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L20	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L21	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L22	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L23	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L24	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L25	256	717/105:ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L26	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L27	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L28	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L29	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L30	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L31	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L32	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L33	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L34	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L35	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L36	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L37	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L38	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L39	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L40	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L41	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L42	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L43	1	((("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L44	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L45	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L46	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L47	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L48	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L49	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L50	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L51	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L52	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L53	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L54	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L55	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L56	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L57	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L58	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L59	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L60	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L61	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L62	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L63	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L64	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L65	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L66	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L67	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L68	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L69	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L70	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L71	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L72	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L73	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L74	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L75	74	((((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L76	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L77	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L78	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L79	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L80	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L81	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L82	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L83	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L84	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L85	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L86	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L87	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L88	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L89	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L90	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L91	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L92	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L93	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L94	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L95	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L96	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L97	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L98	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L99	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L100	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L101	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L102	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L103	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L104	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L105	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L106	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L107	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L108	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L109	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L110	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L111	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L112	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L113	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L114	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L115	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L116	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L117	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L118	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L119	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L120	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L121	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L122	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L123	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L124	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L125	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L126	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L127	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L128	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L129	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L130	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L131	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L132	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L133	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L134	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L135	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L136	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L137	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L138	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L139	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L140	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L141	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L142	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L143	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) ((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L144	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L145	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L146	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L147	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L148	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L149	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L150	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L151	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L152	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L153	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L154	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) ((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L155	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L156	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L157	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L158	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L159	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L160	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L161	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L162	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L163	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L164	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L165	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L166	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L167	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L168	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L169	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L170	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L171	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L172	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L173	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L174	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L175	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L176	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L177	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L178	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L179	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L180	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L181	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L182	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L183	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L184	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L185	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L186	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L187	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L188	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L189	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L190	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L191	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32

EAST Search History

L192	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L193	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L194	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L195	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L196	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L197	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L198	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:32
L199	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L200	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L201	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L202	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L203	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L204	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L205	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L206	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L207	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L208	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L209	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L210	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L211	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L212	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L213	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L214	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L215	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L216	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L217	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L218	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L219	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L220	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L221	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L222	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L223	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L224	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L225	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L226	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L227	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L228	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L229	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L230	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L231	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L232	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L233	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L234	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L235	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L236	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L237	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L238	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L239	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L240	80	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L241	90	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L242	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L243	23	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L244	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L245	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L246	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L247	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L248	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L249	476	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L250	147	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L251	4141	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L252	7186	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L253	3049	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L254	256	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L255	401	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L256	270	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L257	418	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L258	124	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L259	4141	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L260	396	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L261	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L262	3	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L263	134903	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L264	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L265	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L266	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L267	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L268	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L269	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L270	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L271	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L272	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L273	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L274	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L275	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L276	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L277	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L278	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L279	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L280	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L281	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L282	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L283	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L284	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L285	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L286	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L287	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L288	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L289	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L290	74	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml) ((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L291	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L292	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L293	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L294	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L295	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L296	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L297	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L298	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L299	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L300	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L301	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L302	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L303	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L304	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L305	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L306	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L307	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L308	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L309	102	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L310	47	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L311	75	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L312	74	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L313	72	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L314	13	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L315	25	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L316	65	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L317	3	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L318	68	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L319	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L320	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L321	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L322	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L323	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L324	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L325	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33

EAST Search History

L326	188	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L327	187	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L328	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L329	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L330	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L331	349	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L332	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L333	0	"09921298"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L334	0	"09921298".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33
L335	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 19:33